

**TOPIC:** Push Connect Comparison

**SUMMARY**: ProBite™ Vs. Brand "S"


#### **DATE:** 4/16/2009

## **Compare ProBite™ Push Connect Fittings**

There are many big differences when it comes to the comparison between ProBite quick connect (push to connect) fittings and other brands. ProBite has a significant difference due to its high flow and repairable technology. The product "S" fitting is not repairable and is sold with plastic inserts.

# 1. How about that warranty?

Just one quick look and you'll see big differences between our ProBite™ line and its competition;



# How long should your installation last?


ProBite Warranty: 75-Years

Brand "S" Warranty: 25-Years

Page 1 of 3







#### 2. No inserts or stiffeners

Their product includes tube stiffeners, which are integrated in the assembly of the "S" brand fitting.



ProBite Advantage: No Inserts!

Smooth, high flow is all you get with ProBite, no stiffeners or inserts to remove.

## 3. What if you need to repair a damaged O-ring?

Doesn't seem to make sense, if the O-ring tears on a sharp object shouldn't you have the ability to replace it?




ProBite O-rings are easily removed using a common O-ring pick, then easily replaced by pushing a new O-ring back into the exposed groove.



The above pictured "Brand S" fittings are factory sealed and non-repairable. The only option to replace a damaged or leaking fitting is full fitting replacement.

Page 2 of 3

Copyright Quick Fitting Inc. 2008



## 4. Value - Quality, Performance and Price

ProBite fittings, stops and valves are overbuilt, not overpriced.

ProBite not only provides premium quality, they offer superior value as well. Compare for savings of 30 – 45% on competitive "S" brand products.



# 5. Testing, Approvals and Certifications

ProBite products are tested to meet the industry's toughest standards

ProBite<sup>™</sup> fittings have been tested to ASSE 1061/NSF 61 standards and are listed by IAPMO, meeting UPC, IPC and cUPC requirements. ProBite<sup>™</sup> push connect fittings are certified for potable and hydronic heating installations, as well as underground applications and as a plumbing joint without access panels. ProBite<sup>™</sup> Hi-Flo tube stiffeners should be used when plumbing with PEX tubing.

When you compare ProBite™ to its alternative, we believe there's only one <u>real choice</u>... ProBite™ quick connection plumbing fittings and valves.

Page 3 of 3

